APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office	UC1 2 8 1992
	JAN 0 2 1985 under 48568
Corrected application filed	Map filed JAN 0 2 1985 under 48568
The applicant Washoe County, C/o Utility Division	a political subdivision of the State of Nevada
	of Reno City or Town
Nevada (89520) State and Zip Code No.	hereby make application for permission to change the
Point of Diversion and Pla	ace of Use of a portion oint of diversion, manner of use, and/or place of use
of water heretofore appropriated under	
identify right in Decree.	
1. The source of water is	Underground Name of stream, lake, underground spring or other source.
2. The amount of water to be changed	
	0.464 cfs, 109.47 million gallons annually Second feet, acre feet. One second foot equals 448.83 gallons per minute. Quasi-Municipal and Domestic
3. The water to be used for	Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
4. The water heretofore permitted for	Quasi-Municipal and Domestic Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
5. The water is to be diverted at the fall	lowing point NW4 SE4 Section 19, T18N, R20E, MDM, or at Describe as being within a 40-acre subdivision of public survey and by course and
a point from which the Nor	theast corner of said Section 19 bears, N 30°22'32"
distance to a section corner. If the annual veyes inne,	feet (PW#3). See map filed under Permit No. 48568.
6. The existing permitted point of divers	sion is located within SW4 SW4 Section 16, T18N, R20E, MDM,
or at a point from which t	the E½ corner of said Section 16 bears, N 70 ⁰ 10' 00"
E, a distance of 4520.0 fe	et.
7. Proposed place of useSee attac	ched. Map filed under Permit No. 48568. Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.
(Exhibit	"A")
8. Existing place of use. See att	tached Exhibit "B" legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or
manner of use of irrigation permit, describe acreage	to be removed from irrigation.
Januar	rv 1 December 31
9. Use will be from	· · · · · · · · · · · · · · · · · · ·
10. Use was permitted from Januar	ry 1 December 31 December 31 Month and Day Month and Day
11. Description of proposed works. (Unc	der the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or sto	orage works.) South Truckee Meadows General Improvement State manner in which water is to be diverted, i.e. diversion structure,
District Well No. 3. Well, ditches, pipes and flumes, or drilled well, etc.	pump, motor, storage facility to the distribution system
12. Estimated cost of works One m	illion dollars.
13. Estimated time required to construct	works Completed

15 Damorker 1		oplication of water to beneficial use	***************************************
consumptive	For use other than irrigation of use:	or stock watering, state number and ty	pe of units to be served or annual
Washoe	County will serve the	e Steamboat Station Project	t from the South
Trucke	e Meadows General Imp	rovement District Well #3	(PW #3). Map is
filed	under Permit No. 4856	8.	
•	bc ab/se	Post Office Bo Reno, NV (8952	_
	=		***************************************
	APPROV	VAL OF STATE ENGINEER	
the waters issued subje understanding proposed her meter must diversion and The totalizathe proof constalled and designated heright to regue This pe public, priva	of an underground ect to the terms and control of that no other rivein. The well shall be installed and maind accurate measurementing meter must be installed to provide the State Engine alate the use of the well at a corporate lands suance of this permit of the permit of the maintained to provide the use of the well at the use of the use of the well at the use of	nit does not waive the requirements. Tederal and local ag	red under Permit 41955 is Permit 41955 and with the be affected by the change opening and a totalizing ipeline near the point of laced to beneficial use. he water begins or before flowing, a valve must be is located within an area 0. The State retains the and all times. of ingress and egress on uirements that the permit
The tot 12006; 4855 Certificate 51948, 52426 57416, 57334 annually.	72, 48574, 48575, 12008; 48585, 48586 5, 52507, 57159, 5716 1, 57335, 58273 and	48579, 48580, 48581, Ce 5, 49470, 49472, 51803, 51 50, 57161, 57410, 57411, 57 1 58274 shall not excee	804, 51805, 51806, 51947, 412, 57413, 57414, 57415, d 1092.42 million gallons
The tot 12006; 4857 Certificate 51948, 52426 57416, 57334 Annually.	72, 48574, 48575, 12008; 48585, 48586 5, 52507, 57159, 5716 4, 57335, 58273 and	48579, 48580, 48581, Ce. 5, 49470, 49472, 51803, 5160, 57161, 57410, 57411, 5761 58274 shall not exceed mited to the amount which can be approximated.	rtificate 12007; 48584, 804, 51805, 51806, 51947, 412, 57413, 57414, 57415, d 1092.42 million gallons plied to beneficial use, and not to
The tot 2006; 4857 Certificate 51948, 52426 57416, 57334 annually. The amount of we	72, 48574, 48575, 12008; 48585, 48586 5, 52507, 57159, 5716 4, 57335, 58273 and rater to be changed shall be lin	48579, 48580, 48581, Ce. 5, 49470, 49472, 51803, 5160, 57161, 57410, 57411, 5761 58274 shall not exceed mited to the amount which can be approximated to the amount wh	rtificate 12007; 48584, 804, 51805, 51806, 51947, 412, 57413, 57414, 57415, d 1092.42 million gallons plied to beneficial use, and not to
The tot 2006; 4857 4857 4857 485 51948, 52426 57416, 57334 487 57416 57416 5	72, 48574, 48575, 12008; 48585, 48586 5, 52507, 57159, 5716 4, 57335, 58273 and ater to be changed shall be lin 0.464 1lons annually.	48579, 48580, 48581, Ce. 5, 49470, 49472, 51803, 5160, 57161, 57410, 57411, 5761 58274 shall not exceed mited to the amount which can be approximated.	rtificate 12007; 48584, 804, 51805, 51806, 51947, 412, 57413, 57414, 57415, d 1092.42 million gallons plied to beneficial use, and not to not to exceed 109.46
The tot 2006; 4857 and 2006; 4857 and 2006; 4857 and 2006	72, 48574, 48575, 12008; 48585, 48586 5, 52507, 57159, 5716 4, 57335, 58273 and rater to be changed shall be lin 0.464 1lons annually. Dissecuted with reasonable diliger	48579, 48580, 48581, Ce. 5, 49470, 49472, 51803, 5160, 57161, 57410, 57411, 5761 58274 shall not exceed mited to the amount which can be approximated to the amount wh	rtificate 12007; 48584, 804, 51805, 51806, 51947, 412, 57413, 57414, 57415, d 1092.42 million gallons plied to beneficial use, and not to not to exceed 109.46 December 14, 1994
The tot 12006; 4857 Certificate 51948, 52426 57416, 57334 Annually. The amount of wexceed million ga Work must be pro-	72, 48574, 48575, 12008; 48585, 48586 5, 52507, 57159, 5716 4, 57335, 58273 and exter to be changed shall be lim 0.464 1lons annually. Dissecuted with reasonable diligeration of work shall be filed before	48579, 48580, 48581, Ce. 5, 49470, 49472, 51803, 5160, 57161, 57410, 57411, 5761 58274 shall not exceed mited to the amount which can be appropriately cubic feet per second but not exceed the second but not e	rtificate 12007; 48584, 804, 51805, 51806, 51947, 412, 57413, 57414, 57415, d 1092.42 million gallons plied to beneficial use, and not to not to exceed 109.46 December 14, 1994 January 14, 1995
The tot 12006; 4857 Certificate 51948, 52426 57416, 57334 Annually. The amount of we exceed work must be pro Proof of completi Application of wa	72, 48574, 48575, 12008; 48585, 48586 5, 52507, 57159, 5716 4, 57335, 58273 and rater to be changed shall be lin 0.464 1lons annually. Dissecuted with reasonable diligeration of work shall be filed before the changed use shall be marked to beneficial use shall be marked.	48579, 48580, 48581, Cer. 5, 49470, 49472, 51803, 51. 60, 57161, 57410, 57411, 57. 1 58274 shall not exceed mited to the amount which can be approximated to the am	rtificate 12007; 48584, 804, 51805, 51806, 51947, 412, 57413, 57414, 57415, d 1092.42 million gallons plied to beneficial use, and not to not to exceed 109.46 December 14, 1994 January 14, 1995 December 14, 1995
The tot 2006; 4857 Certificate 51948, 52426 57416, 57334 Innually. The amount of weekeed	72, 48574, 48575, 12008; 48585, 48586 5, 52507, 57159, 5716 4, 57335, 58273 and rater to be changed shall be lin 0.464 11ons annually. Dissecuted with reasonable diligerator of work shall be filed before the to beneficial use shall be marked to be ma	48579, 48580, 48581, Ce. 5, 49470, 49472, 51803, 516 60, 57161, 57410, 57411, 576 61 58274 shall not exceed mited to the amount which can be approximated to the amoun	Ttificate 12007; 48584, 804, 51805, 51806, 51947, 412, 57413, 57414, 57415, d 1092.42 million gallons plied to beneficial use, and not to not to exceed 109.46 December 14, 1994 January 14, 1995 December 14, 1995 January 14, 1996
The tot 12006; 4857 Certificate 51948, 52426 57416, 57334 Innually. The amount of we exceed Work must be pro Proof of completi Application of wa Proof of the appli	72, 48574, 48575, 12008; 48585, 48586 5, 52507, 57159, 5716 4, 57335, 58273 and rater to be changed shall be lin 0.464 11ons annually. Dissecuted with reasonable diligerator of work shall be filed before the to beneficial use shall be marked to be ma	48579, 48580, 48581, Ce. 5, 49470, 49472, 51803, 51. 60, 57161, 57410, 57411, 57. 61 58274 shall not exceed mited to the amount which can be approximated to the amoun	Ttificate 12007; 48584, 804, 51805, 51806, 51947, 412, 57413, 57414, 57415, d 1092.42 million gallons plied to beneficial use, and not to not to exceed 109.46 December 14, 1994 January 14, 1995 December 14, 1995 January 14, 1996 N/A
The tot 12006; 4857 Certificate 51948, 52426 57416, 57334 Innually. The amount of we exceed	72, 48574, 48575, 12008; 48585, 48586 5, 52507, 57159, 5716 4, 57335, 58273 and rater to be changed shall be lin 0.464 Llons annually. Dissecuted with reasonable diligerator of work shall be filed before the compact of the compa	48579, 48580, 48581, Ce. 5, 49470, 49472, 51803, 513 60, 57161, 57410, 57411, 57 61 58274 shall not exceed mited to the amount which can be appropriately considered and be completed on or before	rtificate 12007; 48584, 804, 51805, 51806, 51947, 412, 57413, 57414, 57415, d 1092.42 million gallons plied to beneficial use, and not to not to exceed 109.46 December 14, 1994 January 14, 1995 December 14, 1996 N/A R. MICHAEL TURNIPSEED, P.E. nereunto set my hand and the seal of my
The tot 12006; 4857 Certificate 51948, 52426 57416, 57334 annually. The amount of wexceed	72, 48574, 48575, 12008; 48585, 48586 5, 52507, 57159, 5716 4, 57335, 58273 and rater to be changed shall be lin 0.464 Llons annually. Dissecuted with reasonable diligerator of work shall be filed before the to beneficial use shall be marked to beneficial use shall be filed.	48579, 48580, 48581, Cer. 5, 49470, 49472, 51803, 51. 60, 57161, 57410, 57411, 57. 1 58274 shall not exceed mited to the amount which can be appropriately concerned and be completed on or before	rtificate 12007; 48584, 804, 51805, 51806, 51947, 412, 57413, 57414, 57415, d 1092.42 million gallons plied to beneficial use, and not to not to exceed 109.46 December 14, 1994 January 14, 1995 December 14, 1996 N/A R. MICHAEL TURNIPSEED, P.E
The tot 12006; 4857 Certificate 51948, 52426 57416, 57334 annually. The amount of we exceed	72, 48574, 48575, 12008; 48585, 48586 5, 52507, 57159, 5716 4, 57335, 58273 and rater to be changed shall be lim 0.464 Llons annually. Dissecuted with reasonable diligerater to beneficial use shall be medical use shall be medical use shall be filed. filed	48579, 48580, 48581, Cer. 5, 49470, 49472, 51803, 51. 60, 57161, 57410, 57411, 57. 1 58274 shall not exceed mited to the amount which can be appropriately concerned and be completed on or before	rtificate 12007; 48584, 804, 51805, 51806, 51947, 412, 57413, 57414, 57415, d 1092.42 million gallons plied to beneficial use, and not to not to exceed 109.46 December 14, 1994 January 14, 1995 December 14, 1996 N/A R. MICHAEL TURNIPSEED, P.E. nereunto set my hand and the seal of my

EXHIBIT "B"

8. Existing place of use:

S 1/2 Section 10, W 1/2 Section 11, NW 1/4 SW 1/4, portions of NW 1/4 SW 1/4, NW 1/4 NW 1/4, SW 1/4 NW 1/4, SW 1/4 SW 1/4 SW 1/4 Section 14, all of Section 15, SE 1/4, NE 1/4 SW 1/4, SE 1/4 SW 1/4, SW 1/4 SW 1/4 Section 16, portion of SE 1/4 SE 1/4 Section 17, portions of NE 1/4 NE 1/4, SE 1/4 NE 1/4, SE 1/4 NE 1/4, SE 1/4 NE 1/4, SW 1/4 NE 1/4, SW 1/4 NE 1/4, SW 1/4, SW 1/4 NE 1/4, SW 1/4, SW 1/4 NE 1/4, SW 1/4, NE 1/4 NW 1/4, NE 1/4 SW 1/4, SE 1/4 NE 1/4, SW 1/4, SW 1/4, SW 1/4, SE 1/4 NE 1/4, SW 1/4, NE 1/4, NW 1/4, NW 1/4, NW 1/4, NW 1/4, SW 1/4, SW 1/4, NW 1/4, NE 1/4, SW 1/4, SW 1/4, NW 1/4, NE 1/4, SW 1/4, SW 1/4, NW 1/4, NE 1/4, SW 1/4, SW 1/4, NW 1/4, NW 1/4, NW 1/4, NW 1/4, SE 1/4, SW 1/4, NW 1/4, NW 1/4, NW 1/4, SE 1/4, SW 1/4, NE 1/4, NW 1/4, SE 1/4, SW 1/4, SE 1/4, NW 1/4, N




EXHIBIT "A"

ITEM NO. 7

PLACE OF USE

SOUTH TRUCKEE MEADOWS GENERAL IMPROVEMENT DISTRICT

T. 18N., R.18E., MDB&M

Portions of Section: 22, 23, 26 and 35 All of Sections: 24, 25 and 36

T. 17N., R.18E., MDB&M

Portions of Sections: 2, 11 and 12 All of Section 1

T. 17N., R.19E., MDB&M

Portions of Sections: 1, 5, 6 and 7

T. 18N., R.19E., MDB&M

Portions of Sections: 32 through 36 All of Sections: 19 through 31

T. 18N., R.20E., MDB&M

Portions of Sections: 2, 5, 8, 17, 20, 32, 33, 34 and 36, 12 All of Sections: 3, 4, 9, 10, 11, 13, 14, 15, 16, 21 through 31, and 35, 19

T. 19N., R.20E., MDB&M

Portions of Sections: 32, 33 and 35 All of Section: 34

T. 18N., R.21E., MDB&M

Portions of Sections: 18 and 19, 7

T. 17N., R.20E., MDB&M

Portions of Sections: 2, 11, 22, 23, 25, 26 and 27, 5, 6, 14 All of Sections: 1, 12, 13 and 24

